



---

# KODAK

## Portable SSD X205

### Specification





KODAK PSSD X205 is a 5 Gbps bandwidth high speed portable solid-state drive, offering a capacity range from 256GB to 2TB. The maximum read and write speeds can reach high performance of up to 500 MB/s<sup>1</sup> and 450 MB/s.

KODAK PSSD X205 customized for users who need to quickly move large files, providing powerful performance for high-speed transfer of photos and 4K, 8K video files.

Easy and efficient file transfer, durable metal casing for easy portability, three-dimensional totem pattern and yellow silicone storage strap design bring you a high-quality product experience.

## 1. Product specifications


- |   |   |
|---|---|
| <ul style="list-style-type: none"><li>● <b>Capacity</b><ul style="list-style-type: none"><li>■ 256GB,512GB,1TB,2TB</li></ul></li><li>● <b>Size</b><ul style="list-style-type: none"><li>■ 69.1x33.7x8.8mm</li></ul></li><li>● <b>USB</b><ul style="list-style-type: none"><li>■ USB 3.2 Gen 1x1      Type-C</li><li>■ Compliance with USB 2.0</li><li>■ Compliance with USB 1.1</li></ul></li><li>● <b>Operating System compatibility</b><ul style="list-style-type: none"><li>■ Support Windows XP and later version</li><li>■ Support MAC OS 10.8 and later version</li><li>■ Support Linux kernel 2.4.10 and later version</li></ul></li></ul> | <ul style="list-style-type: none"><li>● <b>Temperature Range</b><ul style="list-style-type: none"><li>■ Operation: 0°C ~ 45°C</li><li>■ Storage: -20°C ~ 75°C</li></ul></li><li>● <b>Certification</b><ul style="list-style-type: none"><li>■ CE</li><li>■ FCC</li><li>■ RoHS</li></ul></li></ul> |
|---|---|



## 2. Product Performance

| PN Number       | Capacity | Crystal Disk Mark |              |
|-----------------|----------|-------------------|--------------|
|                 |          | Read (MB/s)       | Write (MB/s) |
| EKPSSD256GX205K | 256GB    | 450               | 400          |
| EKPSSD512GX205K | 512GB    | 500               | 450          |
| EKPSSD1TX205K   | 1TB      | 500               | 450          |
| EKPSSD2TX205K   | 2TB      | 500               | 450          |

## 3. Product design rendering





## 4. Product packaging



### EN SPECIFICATIONS

Port Type: Type-C  
Size: 69 x 34 x 9mm  
Operating Temperature: 0°C-70°C  
Performances may vary based on computer configuration,  
product capacity & testing software.  
Please proceed to a double backup of your important  
data on another device.

### CN 参数

接口类型: Type-C  
尺寸: 69 x 34 x 9mm  
工作温度: 0°C-70°C  
注意: 实际速度因电脑配置、  
产品容量及测试软件不同而异;  
重要文件请在其它设备上做好双重备份。

### 参数

接口类型: Type-C  
尺寸: 69 x 34 x 9mm  
工作温度: 0°C-70°C  
注意: 实际速度因电脑配置、  
产品容量及测试软件不同而异;  
重要文件请在其它设备上做好双重备份。

Dexxon Groupe, 2022  
© 2022 Dexxon  
Dexxon Groupe  
79, avenue Louis Roche, 92230 Gennevilliers, France.

CHINA:  
Hong Kong BKS Technology Co., Limited  
Flat/Rm 1205, Apec Plaza, N° 49 Hoi Yuen Road, Kwun Tong KL, Hong Kong.  
置富科技 (深圳) 股份有限公司  
深圳市龙岗区平湖街道山厦社区中环大道中科谷产业园E栋

www.kodakflash.com.cn

The Kodak trademark, logo and trade dress are used under license from Kodak.



Made in China



品名: KODAK Portable PSSD X205 1000GB

执行标准号: GB/T 26225-2010

客服电话: 0755-82709316

生产日期: 2022-07-07

保修期: 三年

产地: 中国

EKPSSD1000GX205K



6 944903 181181